



GENERAL ANGLE

NO.	PROFILE NO.	WEIGHT (kg / m)	AP (mm)	LENGTH (m , ft)	DESCRIPTIONS	REMARKS
(GROUP 1 - EQUAL ANGLE)						
1	AN0404	0.053	50.80			
2	AN0606	0.081	76.20			
3	AN0606-2	0.155	76.20			
4	AN0606-3	0.241	76.20			
5	AN0606-4	0.268	76.20			
6	AN0808	0.108	101.60			
7	AN0808-2	0.264	101.60			
8	AN0808-4	0.327	101.60			
9	AN0808-5	0.376	101.60			
10	AN1212-2	0.499	152.40			








GENERAL ANGLE

NO.	PROFILE NO.	WEIGHT (kg / m)	AP (mm)	LENGTH (m , ft)		DESCRIPTIONS	REMARKS
11	AN1212-3	0.593	152.40				
12	AN1212-4	0.595	152.40				
13	AN1212-5	1.198	152.40				
14	AN1616-2	0.801	203.20				
15	AN1616-3	1.058	203.20				
16	AN7676	0.095	96.00				
(GROUP 2 - UNEQUAL ANGLE)							
17	AN0406	0.067	63.50				
18	AN0408	0.096	76.20				
19	AN0410	0.095	88.90				
20	AN0412	0.108	101.60				




GENERAL ANGLE


NO.	PROFILE NO.	WEIGHT (kg / m)	AP (mm)	LENGTH (m , ft)		DESCRIPTIONS	REMARKS
21	AN0812	0.170	127.00				
22	AN0416	0.153	127.00				
23	AN0816	0.204	152.40				
24	AN1224	0.905	228.60				




AN0404
WT : 0.053 Kg/m




AN0606
WT : 0.081 Kg/m




AN0606-2
WT : 0.155 Kg/m




AN0606-3
WT : 0.241 Kg/m




AN0606-4
WT : 0.268 Kg/m




AN0808
WT : 0.108 Kg/m




AN0808-2
WT : 0.264 Kg/m




AN0808-4
WT : 0.327 Kg/m




AN0808-5
WT : 0.376 Kg/m




AN1212-2
WT : 0.499 Kg/m




AN1212-3
WT : 0.593 Kg/m




AN1212-4
WT : 0.595 Kg/m




AN1212-5
WT : 1.198 Kg/m




AN1616-2
WT : 0.801 Kg/m




AN1616-3
WT : 1.058 Kg/m




AN7676
WT : 0.095 Kg/m




AN0406
WT : 0.083 Kg/m




AN0408
WT : 0.096 Kg/m




AN0410
WT : 0.095 Kg/m




AN0412
WT : 0.108 Kg/m




AN0812
WT : 0.170 Kg/m



AN0416
WT : 0.153 Kg/m



AN0816
WT : 0.204 Kg/m



AN1224
WT : 0.905 Kg/m